REMOVES MULTIPLE LAYERS IN JUST ONE APPLICATION!



AWARD-WINNING STRIPPER

- Removes Paints, Urethanes, Enamels, Sealers, Some Epoxies, Lead Paint, and Many Other Coatings
- Gel Formula for Easy Application
- SAFE! No Methylene Chloride
- Non-Caustic and Biodegradable
- Made with 100% American-Grown Soybeans

EASILY REMOVE MULTIPLE LAYERS

 Apply a thick layer by brushing, pouring, or with a commercial sprayer.

 Use a scraper to check if the coating is softened down to the surface and remove when it is completely softened.

Horizontal Coverage: 125 sq ft per gallon Vertical Coverage: 75 sq ft per gallon

Call: 800.538.5069







Paint & Urethane Stripper

(Formerly SOY•Gel™ Paint and Urethane Remover)

Franmar's **BLUE BEAR Paint & Urethane Stripper** is a tried and true stripper, used by consumers for over two decades. Effectively removes multiple layers of paint, varnish, enamel, urethane, other simple coatings, and lead based paint*. Made with soybeans, Paint & Urethane Stripper is the choice for a safe, low odor, non-caustic, green coating remover for any DIY project.

*Ideal for lead-based paint removal. The lead becomes encapsulated in the gel, preventing airborne particles and allowing for safe removal. Dispose of in accordance with all existing local, state, and federal ordinances.

Coverage:

Coverage per square foot varies depending on type and age of coating, number of layers and method of application.

Horizontal: Average coverage is 125 sq ft per gallon (max 200 sq ft per

Vertical: Average coverage is 75 sq ft per gallon

Test Area:

Due to variances in surfaces and conditions, always test in a small, inconspicuous area before using on complete project.

Application:

Apply a thick layer of **Paint & Urethane Stripper** by pouring, brushing, squeegee, or commercial airless sprayer. Applying too thin will cause **Paint & Urethane Stripper** to dry out before removal is complete. Use a scraper to check if the coating is softened down to the surface. If not, wait longer and recheck. When the coating is completely softened, remove with a scraper.

Clean Up:

Use **BLUE BEAR General Purpose Degreaser** or water and a scrub brush, mop, or power washer to clean remaining thin residue. Remove excess coating(s) and Paint & Urethane Stripper before using a power washer for final cleaning. Allow surface to dry before further preparations.

Usage Tips from the Pros:

- For large application areas, use a professional airless sprayer or a 4-stage HVLP sprayer.
- For tough coatings or numerous layers, use a notched ½" squeegee or ¼" gauge rake. Square footage will be greatly reduced.
- When used outdoors, cover with a 2mil or thicker plastic to help keep Paint & Urethane Stripper wet and working.

Biodegradable: Meets or exceeds ASTM standards

Precautions: Concrete surfaces may darken with use of **Paint & Urethane Stripper**. Protect plants and vegetation with a plastic drop cloth. Always use care to prevent overspray from getting on surfaces other than the one being prepped or cleaned.

Warnings: May cause skin irritation. May cause eye irritation. May cause respiratory irritation or may cause drowsiness and dizziness. May be harmful if swallowed. This product contains a chemical known to the state of California to cause birth defects or other reproductive harm. Keep out of reach of children.

Flash Point Above 200°F (93.3°C)

pH Level 8.1 pH of 1/10 wt/wt solution in soft water

VOC (Volatile Organic Compounds) 49%, 4.249 lb/g, 509 g/l California and OTC Compliant

Ingredients: N-Methyl Pyrrolidone, Dibasic Ester LVP, Soy Ester, Proprietary Thickening and Surfactant Blend

Safe for Use On: Concrete, masonry, wood, and metal

Do Not Use On: PVC, drywall, limestone, plastic, veneer, terrazzo tile, or rubber

NON-EMERGENCY Call: 800.538.5069 www.franmar.com **CHEMICAL EMERGENCY:**

Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night USA and Canada: **800.242.9300** CCN717946 or +1 703.527.3887 (Collect Calls Accepted)



PO Box 5565 Bloomington IL 61702

Rev. 3/29/2016